








	MALE CONNECTOR			FEMALE CONNECTOR			FEMALE CONNECTOR		
BIKE	Ø	L		Ø	L		Ø	L	
M6	9.5 M6	29.0		8.8	35.9				
BIKE	Ø	L		Ø	L	固定式(平口壓花)	Ø	L	
M8.5	9.5	36.5		9.5	34.5				
BIKE	Ø	L		Ø	L	固定式(平口壓花)	Ø	L	
M9	10.4	40.0		10.4	37.5				



MALE CONNECTOR

[BIKE](#)

Ø L

M12 14.5 45.7



FEMALE CONNECTOR

Ø L

14.5 44.9



FEMALE CONNECTOR

Ø L

14.5 47.3



[BIKE](#)

Ø L

M13 14.0 47.5



Ø L

14.0 42.5



Ø L

14.5 47.3



[BIKE](#)

Ø L

M16 16.9 53.3



Ø L

17.9 50.6



Ø L

14.5 47.3




固定式(平口壓花)

固定式(平口壓花)

固定式(平口壓花)

活動式(十字壓花)



MALE
CONNECTOR

[BIKE](#)

Ø L

M17 20.0 53.3



FEMALE
CONNECTOR

Ø L

20.0 52.0

Ø L

26.0



固定式(平口壓花)

FEMALE
CONNECTOR

Ø L

Ø L

[BIKE](#)

Ø L

M24 26.0 65.0



固定式(平口壓花)